

EDM, INC.

INNOVATIVE ONLINE MANUFACTURING

P.O.Box 373 • 398 Victoria Avenue • Port St. Joe, FL 32457

Phone: 800/355-3585

Fax: 850/227-1457

Email: edm@gt.com.net

Web Site: www.IDMMFG.com

STANDARD FEATURES

We offer more Standard Features than any other supplier or manufacturer.

- 2 - Extra Large Clean Out Doors
- 2- 1.6 hp Vacuum Motors
- 15' of Smooth Bor Vacuum Hose
- Vacuum Claw with Swivel
- Plug In Modular Timer - No Hard Wiring
- Quick Connects on all Wiring Harnesses
- **Super Filter Bag System**
- Rugged stainless steel construction
- Stainless Steel Dome
- Hose Hanger
- Abus Lock
- Lock Bar
- 12 gauge hammer deflector
- 12 gauge vault
- Triple Locking Security System
- IMONEX Mechanical Coin Mechanism
- 20' Goodyear Double Wire Braided Air Hose
- Direct Read Air Gauge
- Coin Vault Completely Seam Welded
- 1.5 hp DeVilbiss Compressor
- No Load Valve

A winning combination with this duo! Not only air and vacuum features, but a Double Profit Center for you and a Powerful performer for your customers.

More standard features, more power, higher security and more value for your money.

PRO 2500 AIR/VACUUM



OPTIONAL FEATURES

SPECIFICATIONS & DIMENSIONS

- Total height with dome is 57"
- Three (3) mounting feet
- 2 Large Clean Out Doors 12 x 22
- 18 square feet of filtration
- 15' Vacuum hose
- Mount on a concrete pad 3 x 3 with 6" of concrete
- Anchor into concrete with 5 3/8" concrete expansion anchor bolts
- **TURN POWER OFF** during installation or maintenance - **IMMER WILL BURN OUT**

Security Bar for Clean Out Doors
Vinyl Debris Bag
Fluorescent Dome Light Kit
Water Package
Retractors
Handicap able & Vault Ready Units Available



P.O.Box 373 • 398 Victoria Avenue • Port St. Joe, FL 32457
 Phone: 800/355-3585
 Fax: 850/227-1457
 Email: Idm@gtcom.net
 Web Site www.IDMMFG.com

STANDARD FEATURES

We offer more Standard Features than any other supplier or manufacturer.

- 2 - Extra Large Clean Out Doors
- 2- 1.6 hp Vacuum Motors
- 15' of Smooth Bor Vacuum Hose
- Vacuum Claw with Swivel
- Plug In Modular Timer - No Hard Wiring
- Quick Connects on all Wiring Harnesses
- **Super Filter Bag System**
- Rugged stainless steel construction
- High Impact Ventilated Plastic Dome
- Hose Hanger
- Abus Lock
- Lock Bar
- 12 gauge hammer deflector
- 12 gauge vault
- IMONEX Mechanical Coin Mechanism
- 20' Goodyear Double Wire Braided Air Hose
- Direct Read Air Gauge
- Coin Vault Completely Seam Welded
- 1.5 hp DeVilbiss Compressor
- No Load Valve

A winning combination with this duo! Not only air and vacuum features, but a Double Profit Center for you and a Powerful performer for your customers.

More standard features, more power and more value for your money.

SPECIFICATIONS & DIMENSIONS


- Total height with dome is 57"
- Three (3) mounting feet
- 2 Large Clean Out Doors 12 x 22
- 18 square feet of filtration
- 15' Vacuum hose
- Mount on a concrete pad 3 x 3 with 6" of concrete
- Anchor into concrete with 5 3/8" concrete expansion anchor bolts
- **TURN POWER OFF** during installation or maintenance-TIMER will BURN OUT

BEST BUY 2500 AIR/VACUUM



OPTIONAL FEATURES

1. Optional commercial style with push button or toggle on/off switch
2. Security Bar for Clean Out Doors
3. Vinyl Debris Bag
4. Fluorescent Dome Light Kit
5. Water Package
6. Handicap able & Vault Ready Units Available
7. Dome colors and hose colors



This is the newest decal from IDM, Inc. IDM will be using this colorful decal on all of our vacuum and air/vacuum series.

IDM, INC.

INNOVATIVE DESIGN MANUFACTURING

P.O.Box 373 • 398 Victoria Avenue • Port St. Joe, FL 32457

Phone: 800/355-3585

Fax: 850/227-1457

Email: Idm@gtcom.net

Web Site www.IDMMFG.com

STANDARD FEATURES

We offer more Standard Features than any other supplier or manufacturer.


- 2 - Extra Large Clean Out Doors
- 2- 1.6 hp Vacuum Motors
- 15' of Smooth Bor Vacuum Hose
- Vacuum Claw with Swivel
- Plug In Modular Timer - No Hard Wiring
- Quick Connects on all Wiring Harnesses
- **Super Filter Bag System**
- Rugged stainless steel construction
- High Impact Ventilated Plastic Dome
- Abus Lock
- Lock Bar
- 12 gauge hammer deflector
- 12 gauge vault
- IMONEX Mechanical Coin Mechanism
- Coin Vault Completely Seam Welded

More standard features, more power and more value for your money.

1. Optional commercial style with push button or toggle on/off switch
2. Security Bar for Clean Out Doors
3. Vinyl Debris Bag
4. Fluorescent Dome Light Kit
5. Water Package
6. Handicap able & Vault Ready Units Available
7. Dome colors and hose colors

SPECIFICATIONS & DIMENSIONS

- Total height with dome is 57"
 - Three (3) mounting feet
 - 2 Large Clean Out Doors 12 x 22
 - 18 square feet of filtration
 - 15' Vacuum hose
 - Mount on a concrete pad 3 x 3 with 6" of concrete
 - Anchor into concrete with 5 3/8" concrete expansion anchor bolts
- TURN POWER OFF during installation or maintenance-TIMER will BURN OUT



This is the newest decal from IDM, Inc. IDM will be using this colorful decal on all of our vacuum and air/vacuum series.